

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	80238	"414"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 07:18
L2	2749	L1 and ((aperture or hole) same (rack or rail or beam))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 07:20
L3	1051	L2 and (bend\$3 or twist\$3 or flex\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 07:20
L5	1019	((74/29) or (74/30) or (74/457)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/19 07:22
L6	32	L5 and ((aperture or hole) same (rack or rail or beam))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 07:32
L7	904	((409/235) or (409/175) or (409/178)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/19 07:32
L8	43	L7 and ((aperture or hole) same (rack or rail or beam))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 07:46
L9	1171	(408/1R).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/19 07:47
L10	89	L9 and ((aperture or hole or opening) same (rack or rail or beam or track))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:11
L11	233	"109"/\$.ccls. and ((aperture or hole or opening) same (rack or rail or beam or track))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:34
L12	113506	refrigerator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:33
L15	6703	L12 and (shelf\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:43

L16	527	L15 and ((aperture or hole or opening) same (rack or rail or beam or track))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:53
L17	30	L16 and pinion	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:44
L18	198068	shelf\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:39
L20	509	L18 and stringer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 09:05
L21	116	L20 and ((aperture or hole or opening) same (rack or rail or beam or track))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:39
L22	13562	L12 and (shel\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:43
L23	817	L22 and ((aperture or hole or opening) same (rack or rail or beam or track))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:43
L24	51	L23 and pinion	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:52
L25	511192	bracket	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:52
L26	59665	L25 and ((aperture or hole or opening) same (rack or rail or beam or track))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:53
L27	6553	L26 and pinion	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:53
L28	1044	L27 and shel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:55

L29	452	L28 and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 08:55
L30	1541	((408/76) or (408/77) or (408/78) or (408/79) or (408/88) or (408/234)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/19 09:05
S1	1171	(408/1R).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 19:45
S4	904	((409/235) or (409/175) or (409/178)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 19:46
S5	76	(409/181).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 19:46
S6	697	((409/179) or (409/132)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 19:46
S7	1019	((74/29) or (74/30) or (74/457)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 19:47
S8	1477	((74/422) or (74/109)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 21:39
S9	143531	"74"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 19:48
S12	9263	"193"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 20:12
S14	15	Boyl-Davis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 19:50
S15	76	Buttrick.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 19:50

S16	968	Gage.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 19:51
S17	46851	Jones.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 19:51
S18	32	S16 and Roger	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 19:52
S19	85	S17 and Darrell	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 19:52
S21	32	((("6550129") or ("6467385") or ("6430796") or ("6283684") or ("6240332") or ("6220099") or ("6210084") or ("6073326") or ("6036409") or ("5482411") or ("5395187") or ("4850763") or ("4740117") or ("4570542") or ("4396318") or ("4353308") or ("3663115") or ("3599958") or ("2911860") or ("6855099") or ("6843328") or ("6505393") or ("6428452") or ("6357101") or ("5934848") or ("5697413") or ("5661892") or ("5573076") or ("5542796") or ("5477597") or ("5468099") or ("4778317"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/18 19:55
S22	80238	"414"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 20:11
S23	9710	S22 and (gear or pinion)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 20:13
S27	6920	S23 and (rack or track or rail or beam)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 20:17
S28	2871	S27 and (aperture or hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 20:17
S29	754	S28 and (teeth or tooth)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 20:35

S31	2	S29 and ((conical or tapered) near tooth)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 20:41
S32	181	S8 and ((aperture or hole) same (rack or rail or beam))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/19 07:22